

METAL EXPANSION JOINT

Floor to Floor | Floor to Wall

25 - 125 mm (1 - 5") Expansion Gaps

Megatec 300 : A01-A02

Features

Surface

Smooth transit

Hairline serrated surface for improved slip resistance

Americans with Disabilities Act (ADA) compliant across the entire movement cycle

Movement

High movement capacity

ASTM E-1399 Class I: Thermal

Class II: Wind

Traffic Frequency per day



> 25,000

≤ 1,000

≤ 1,000

≤ 1,000

≤ 10

System Options

Gap width(s) 25, 50, 75, 100, 125 mm

Height(s) 25, 35, 50, 75 mm

Metal type(s) 6063 T5 & T6 Aluminium

Seal colour(s) No seal used

Fire barrier 120-240 minutes

Waterproofing Moisture barrier

Pre-assembly in factory Contact Vexcolt



APPLICATIONS

Airport Terminals | Educational | Exhibition Centres
Department Stores | Distribution & Retail Warehouses
Factories | Hospitals | Museums | Offices & Hotels
Parking | Places of Worship | Residential Buildings
Rail, Metros & Elevated Rail Stations | Roads & Bridges
Shopping Centres | Sports Stadiums | Supermarkets

METAL EXPANSION JOINT

Floor to Floor | Floor to Wall





25 - 125 mm (1 - 5") Expansion Gaps

Megatec 300 : A01-A02

Expansion Joint Selection Criteria

Load Rating

Product Details

Joint Location	Gap Width B (mm)	Movement Capacity (mm)		Eurocode Rating				Product Dimensions				Product Number
		±	[Total]					Height		Sightline A (mm)	Blockout C (mm)	
								H1 (mm)	H2 (mm)			
Floor - Floor	25	± 5	[10]	10 kN	69 kN	30 kN	300 kN	25: 35: 50: 75	-	69	185	300-A01-025-(H1)
	50	± 10	[20]							94	210	300-A01-050-(H1)
	75	± 15	[30]							119	235	300-A01-075-(H1)
	100	± 20	[40]							144	260	300-A01-100-(H1)
	125	± 30	[60]							169	285	300-A01-125-(H1)
Floor - Wall	25	± 5	[10]	10 kN	69 kN	30 kN	300 kN	25: 35: 50: 75	61	69	127	300-A02-025-(H1)
	50	± 10	[20]							94	152	300-A02-050-(H1)
	75	± 15	[30]							119	177	300-A02-075-(H1)
	100	± 20	[40]							144	202	300-A02-100-(H1)
	125	± 30	[60]							169	227	300-A02-125-(H1)

When specifying or ordering please add the **height (H1)** required to the Product Reference.

For example Megatec 300 : A01-075-050 denotes a joint 50mm high.

